

TEST REPORT

Technical Report: (6617)341-0170

Page 1 of 4 December 12, 2017





TEST REPORT

LAB NO.:	(6617)341-0170
DATE IN:	Dec 07, 2017
MODIFIED DATE IN:	Dec 12, 2017
DATE OUT:	Dec 12, 2017
IO OF WORKING DAVO	4

NO. OF WORKING DAYS: 1

PAGE 2 OF 4

	OVERALL RATING				
	PASS				
		FAIL			
		DATA	X		
Vendor:	SHANGHAI SHUOTE	Agent:	1		
vendor.	NONWOVENS CO., LTD	Agont.	/		
Fabric Supplier/Mill:	/	Factory/Manufacturer:	/		
P.O. No.:	/	Style No.:	/		
Sample Description:	SOFEELATE® INSULATION(K	(- Style Description:	/		
	2)				
Color:	WHITE	Country of Origin:	/		
Claimed Fabric Weight:	/	Claimed Fabric Count:	/		
Yarn Size:	/	Submitted Size:	/		
Size Range:	/	FPU No.:	/		
GPU No.:	/	End Use:	/		
SKU:	/				
Product Category	/				
Test Requested					
Previous Report No.					
Submitted Fiber Content	100%POLYESTER				
Actual Fiber Content	/				
Suggested Fiber Content	1				
Submitted Care Instruction(s)	/				
Client Expected Care Instruction	1				
Suggested Care Instruction(s)	/				

TEST PROPERTY	PASS	FAIL	DATA	COMMENTS
FEATHER AND DOWN: FILLING POWER			Х	

Remark: BVCPS (Shanghai) contact information for this report

Address: No.168, Guanghua Road, Zhuanqiao Town, Minhang, Shanghai, China 201108

General Information:

Mary Zhang 086-021-24081666*9312, email: Mary-s.zhang@cn.bureauveritas.com

Technical Questions:

Pat Liu 086-021-24081745, email: Pat.liu@cn.bureauveritas.com

Rio Zhang 86-21-24081666*9305, email: Rio.Zhang@cn.bureauveritas.com

BUREAU VERITAS

CONSUMER PRODUÇTS SERVICES (SHANGHAI)

JOHNSON ZHANG

OPERATION MANAGER

TEST RESULTS

TEST PROPERTY REQUIREMENTS

FEATHER AND DOWN: FILLING POWER (IDFB 10-B MODIFIED)

FILLING POWER (IN³/30G) 429

CONDITION METHOD: STEAM CONDITIONING ROOM TIME:48 HOURS

NOTE: BASED ON VENDOR'S REQUEST, ABOVE RESULT IS FOR REFERENCE ONLY